

View Online at <https://aerobasegroup.com/nsn/5310-00-460-4088>

Thread Class:

2b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque with metallic insert

Mounting Hole Diameter:

Between 0.098 inches and 0.103 inches

Nut Style:

Plate

Nut Length:

Between 0.975 inches and 0.995 inches

Nut Height:

Between 2.218 inches and 2.222 inches

Plate Thickness:

Between 0.050 inches and 0.070 inches

Plate Width:

Between 0.386 inches and 0.406 inches

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

0.344 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.686 inches and 0.690 inches

Thread Series:

Unf

Thready Qty Per Inch (tpi):

32

Thread Size:

0.190 inches

Material:

Aluminum alloy 6066 locking insert or stainless steel locking insert

Material Specification:

Qq-a-200/10 federal specification 1st material response locking insert or ams 7245 assn standard 2nd material response locking insert

Surface Treatment:

Anodize locking insert

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response nut

Specification Data:

81205-bacn10ms manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-12545 spec.