

View Online at <https://aerobasegroup.com/nsn/5310-00-489-8815>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Head Style:**

Elliptical countersunk

**Head Height:**

0.048 inches

**Locking Feature:**

Prevailing torque all metal design

**Head Major Diameter:**

Between 0.621 inches and 0.625 inches

**Head Minor Diameter:**

Between 0.524 inches and 0.528 inches

**Nut Style:**

Blind rivet w/smooth round shank

**Nut Diameter:**

Between 0.380 inches and 0.383 inches

**Nut Length:**

Between 0.907 inches and 0.997 inches

**Err Default:**

+0.340 to 0.400 inches

**Shank End Type:**

Open

**Tempurature Rating:**

450.0 degrees fahrenheit

**Thread Series:**

Unf

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.375 inches

**Head Major Countersink Angle:**

Between 75.45 degrees and 76.15 degrees

**Head Minor Countersink Angle:**

Between 59.45 degrees and 60.15 degrees

**Material:**

Steel comp 304 or steel comp 305

**Material Specification:**

Qq-s-763, cl 304, cond a federal specification 1st material response or qq-s-763, cl 305, cond a federal specification 2nd material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0