NSN 5310-00-493-3986

Sheet Spring Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-493-3986

Material Thickness: .0.048 inches Mating Member Diameter Accommodated: Between 0.193 inches and 0.195 inches Nut Style: Sheet spring Nut Length: Between 1.188 inches and 1.312 inches Nut Width: Between 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response Shelf Life: W/a	
Mating Member Diameter Accommodated: Between 0.193 inches and 0.195 inches Nut Style: Sheet spring Nut Length: Between 1.188 inches and 1.312 inches Nut Width: Between 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Oq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Setween 0.193 inches and 0.195 inches Nut Style: Sheet spring Nut Length: Setween 1.188 inches and 1.312 inches Nut Width: Setween 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response Shelf Life:	
Nut Style: Sheet spring Nut Length: Setween 1.188 inches and 1.312 inches Nut Width: Setween 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response Shelf Life:	
Sheet spring Nut Length: Between 1.188 inches and 1.312 inches Nut Width: Between 0.688 inches and 0.812 inches Material: Beteel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Dq-p-416, type 2, class 3 federal specification single treatment response Shelf Life:	
Nut Length: Between 1.188 inches and 1.312 inches Nut Width: Between 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response Shelf Life:	
Retween 1.188 inches and 1.312 inches Nut Width: Between 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Nut Width: Setween 0.688 inches and 0.812 inches Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Material: Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Surface Treatment: Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Cadmium or zinc Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	np 101
Surface Treatment Specification: Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
Qq-p-416, type 2, class 3 federal specification single treatment response or qq-z-325, type 2, class 3 federal specification single treat esponse Shelf Life:	
esponse Shelf Life:	
Shelf Life:	atment
N/a	
Jnit Of Measure:	
-	
Demilitarization:	
No	
Filg:	
N021a0	