

View Online at <https://aerobasegroup.com/nsn/5310-00-499-1699>

**Thread Class:**

3

**Thread Direction:**

Right-hand

**Nut Style:**

Round

**Nut Diameter:**

9.250 inches

**Nut Thickness:**

Between 0.720 inches and 0.780 inches

**Drive Point Quantity:**

4

**Drive Point Diameter:**

Between 0.250 inches and 0.260 inches

**Drilled Hole Diameter:**

Between 0.250 inches and 0.260 inches

**Hole Type And Quantity:**

4 drilled

**Thread Series:**

Buttress

**Features Provided:**

Casehardened

**Thready Qty Per Inch (tpi):**

10

**Hardness Rating:**

Between 33.0 rockwell c and 38.0 rockwell c

**Thread Size:**

8.000 inches

**Hole Configuration Style:**

Configuration j

**Countersink Angle:**

90.0 degrees nut

**Criticality Code Justification:**

Bzrr and cqjx

**Material:**

Steel comp 4140 or steel comp 8640

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Mil-p-16232, ty z, cl 3 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-p-16232 spec.