NSN 5310-00-501-3526

Round Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-501-3526

Thread Direction: Right-hand Counterbore Diameter: 0.250 inches nut and 0.260 inches nut Drive Point Depth: Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating: Between 50.0 rockwell d and 60.0 rockwell d
Right-hand Counterbore Diameter: 0.250 inches nut and 0.260 inches nut Drive Point Depth: Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Counterbore Diameter: 0.250 inches nut and 0.260 inches nut Drive Point Depth: Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
0.250 inches nut and 0.260 inches nut Drive Point Depth: Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Drive Point Depth: Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Between 0.146 inches and 0.166 inches Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Nut Style: Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Round Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Nut Diameter: Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Between 0.435 inches and 0.440 inches Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Nut Thickness: Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Between 0.428 inches and 0.448 inches Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Drive Point Width: Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Between 0.102 inches and 0.107 inches Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Drive Point Quantity: 2 Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Nut Counterbore Depth: 0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
0.060 inches nut and 0.070 inches nut Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Thread Series: Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Uns Thready Qty Per Inch (tpi): 22 Hardness Rating:
Thready Qty Per Inch (tpi): 22 Hardness Rating:
22 Hardness Rating:
Hardness Rating:
_
Between 50.0 rockwell d and 60.0 rockwell d
Thread Size:
0.250 inches
Material:
Steel comp 1137 or steel comp 1141
Material Specification:
Qq-s-637 federal specification all material responses
Surface Treatment:
Phosphate
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A021a0