NSN 5310-00-518-5697

Gang Channel Self-locking Nut Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-518-5697 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.254 inches nut Lubrication: Dry film lubricant **Overall Length:** 72.000 inches **Overall Width:** 0.552 inches **Nut Style:** Gang channel, self locking **Removable Nut Manufacturer Code:** 76301 **Channel Style:** Straight type Assemblyheight: 0.351 inches **Channel Height:** 0.298 inches **Nut Spacing:** 0.875 inches **Nut Counterbore Depth:** 0.125 inches nut **Removable Nut Manufacturer Part Number:** St3m445c4m2 **Tempurature Rating:** 350.0 degrees fahrenheit **Nut Quantity:** 82 **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 28

Thread Size: 0.250 inches

NSN 5310-00-518-5697

Mil-std (military Standard):

Mil-a-8625 spec.

Gang Channel Self-locking Nut Assembly - Page 2 of 2



| Material: |
|---|
| ron alloy 660 nut |
| Material Specification: |
| Qq-a-250/13, t6 federal specification single material response channel |
| Surface Treatment: |
| Nickel nut and copper alloy nut |
| Surface Treatment Specification: |
| Mil-a-8625 military specification 1st treatment response channel and mms425 fscm 76301 mfr ref 2nd treatment response channel |
| Specification Data: |
| 76301-st3-464 manufacturers standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |
| Filg: |
| A021a0 |