

View Online at <https://aerobasegroup.com/nsn/5310-00-520-6079>

Hole Diameter:

Between 0.440 inches and 0.460 inches

Outside Diameter:

Between 0.985 inches and 0.990 inches

Overall Height:

Between 0.334 inches and 0.354 inches

Recess Depth:

0.125 inches

Material Thickness:

Between 0.116 inches and 0.120 inches

Min. Tensile Strength (psi):

90000 pounds per square inch

Surface Finish:

63.0 microinches all surfaces

Special Features:

Counterbored corners rounded by 0.062 in. Radius, od rounded to 0.680 in. Diameter by 1.000 in. Radius

Material:

Steel comp 4140 or steel comp 4340

Material Specification:

Mil-s-5626 military specification 1st material response or mil-s-5000 military specification 2nd material response

Style Designator:

Recessed

Test Data Document:

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A022b0

Mil-std (military Standard):

Mil-s-5626 spec.