NSN 5310-00-524-0015

Double Hexagon Extended Washer Self-locking Nut - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5310-00-524-0015 |
|--|
| Thread Class: |
| 3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Washer Outside Diameter: |
| Between 0.330 inches and 0.345 inches |
| Lubrication: |
| Dry film lubricant |
| Overall Height: |
| Between 0.235 inches and 0.250 inches |
| Nut Style: |
| Double hexagon |
| Washer Thickness: |
| Between 0.020 inches and 0.057 inches |
| Width Across Flats: |
| Between 0.243 inches and 0.252 inches |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 32 |
| Hardness Rating: |
| Between 39.0 rockwell c and 47.0 rockwell c |
| Thread Size: |
| 0.190 inches |
| Countersink Angle: |
| 90.0 degrees nut |
| Material: |
| Steel |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Qq-p-416, type 1, cl 3 federal specification single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| Demilitarization: |
| No |
| Fiig: |
| · ··ɔ· |

A021a0