NSN 5310-00-570-4049

Barrel Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-570-4049
Thread Class:
3b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque with nonmetallic insert
Counterbore Diameter:
0.339 inches nut and 0.349 inches nut
Nut Style:
Floating self-locking barrel
Nut Diameter:
Between 0.550 inches and 0.553 inches
Nut Length:
0.610 inches
Barrel Height:
Between 0.409 inches and 0.429 inches
Nut Height:
0.464 inches
Nut Counterbore Depth:
0.103 inches nut and 0.123 inches nut
Tempurature Rating:
250.0 degrees fahrenheit
Thread Series:
Unjf
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
24
Hardness Rating:
Between 29.0 rockwell c and 37.0 rockwell c
Thread Size:
0.312 inches
Material:
Steel comp 4130 nut or steel comp 4140 nut or steel comp 4340 nut
Material Specification:
66 federal standard 2nd material response nut or 66 federal standard 3rd material response nut or mil-s-5000 military specification 4th
material response nut
Surface Treatment:
Cadmium except insert
Surface Treatment Specification:
Qq-p-416 type 2, cl 3 federal specification single treatment response except insert
Shelf Life:

N/a

NSN 5310-00-570-4049

Barrel Self-locking Nut - Page 2 of 2



	- : -	~	NA	
UI	nit	UΤ	Measure:	

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-5000 spec.