## NSN 5310-00-596-7716

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-596-7716 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with nonmetallic insert **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.969 inches **Nut Height:** 0.406 inches **Plate Thickness:** 0.075 inches Plate Width: 0.453 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** 0.344 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.686 inches and 0.690 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unf Thready Qty Per Inch (tpi): **Thread Size:** 0.190 inches **Countersink Angle:** 99.5 degrees nut and 100.5 degrees nut Material: Fiber or plastic polyamide locking insert **Surface Treatment:** Anodize nut or oxide film nut **Surface Treatment Specification:** 

Mil-a-8625 military specification single treatment response nut or mil-c-5541 military specification single treatment response nut

## NSN 5310-00-596-7716

Plate Self-locking Nut - Page 2 of 2



Sh	elf	Li	ife:	
N/a				

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.