NSN 5310-00-604-4659

Sleeve Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-604-4659

| Thread Class: |
|-------------------------------------------------------------------------------|
| 2b |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.750 inches |
| Nut Style: |
| Sleeve |
| Nut Length: |
| Between 1.657 inches and 1.719 inches |
| Nut Width Across Flats: |
| 1.125 inches |
| Cross-sectional Shape: |
| Hexagonal |
| Tempurature Rating: |
| Not rated |
| Thread Series: |
| Unf |
| Thready Qty Per Inch (tpi): |
| 14 |
| Hardness Rating: |
| Not rated |
| Thread Size: |
| 0.875 inches |
| Countersink Angle: |
| 120.0 degrees nut |
| Material: |
| Steel comp 1213 or steel comp 1215 |
| Surface Treatment: |
| Phosphate zinc |
| Surface Treatment Specification: |
| Mil-p-16232, type 2, class 2 military specification single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Νο |
| Fiig: |
| A021a0 |
| Mil-std (military Standard): |
| Mil-p-16232 spec. |
| ····· F ··· |