NSN 5310-00-608-2426



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-00-608-2426 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Mounting Hole Diameter:** 0.098 mils and 0.103 centimeters **Nut Style:** Plate **Nut Length:** Between 0.920 inches and 0.950 inches **Nut Height:** Between 0.207 inches and 0.227 inches **Plate Thickness:** Between 0.050 inches and 0.070 inches Plate Width: 0.328 inches **Nut Mounting Provision:** Countersunk holes **Mounting Provision Location:** Opposite nut projection side **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.329 inches and 0.359 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.310 inches and 0.314 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unc Thready Qty Per Inch (tpi): 32 **Thread Size:** Between 98.0 degrees and 102.0 degrees

0.138 inches **Mounting Hole Countersink Angle:** Material: Aluminum alloy 2024 **Surface Treatment:** Anodize

NSN 5310-00-608-2426

Plate Self-locking Nut - Page 2 of 2



Surface Treatment Speci

Mil-a-8625 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.