
NSN 5310-00-610-1249

Plate Self-locking Nut - Page 1 of 2

2b

40





Thread Class: Thread Direction: Right-hand Locking Feature: Prevailing torque all metal design Mounting Hole Diameter: Between 0.098 inches and 0.103 inches Nut Style: Plate Nut Length: Between 0.807 inches and 0.817 inches Nut Height: Between 0.185 inches and 0.195 inches **Plate Thickness:** Between 0.025 inches and 0.035 inches Plate Width: Between 0.307 inches and 0.317 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.276 inches and 0.286 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.560 inches and 0.564 inches **Thread Series:** Unc Thready Qty Per Inch (tpi): **Thread Size:** 0.112 inches Material: Steel comp 302 shell **Material Specification:** Qq-s-763, cond a federal specification single material response nut **Precious Material And Location:** External surfaces of nut silver **Precious Material:** Silver Surface Treatment: Silver nut

NSN 5310-00-610-1249

Plate Self-locking Nut - Page 2 of 2



Surface Treatment Specification:

Mil-std-171 military standard single treatment response nut

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-5059 spec.