

NSN 5310-00-622-9529 Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-00-622-9529 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with nonmetallic insert **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate **Nut Length:** 1.296 inches

0.375 inches **Plate Thickness:**

Nut Height:

0.075 inches

Plate Width: 0.531 inches

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

0.500 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.998 inches and 1.002 inches

Tempurature Rating:

250.0 degrees fahrenheit

Thread Series:

Unif

Thready Qty Per Inch (tpi):

Thread Size:

0.312 inches

Countersink Angle:

120.0 degrees nut

Material:

Plastic polyamide locking insert

Surface Treatment:

Anodize except insert or chromate except insert

Surface Treatment Specification:

Mil-a-8625, type 1 military specification 1st treatment response except insert or mil-c-5541 military specification 2nd treatment response except insert

NSN 5310-00-622-9529

Plate Self-locking Nut - Page 2 of 2



| Specification Data: |
|--|
| 80205-nas1023 professional/industrial association standard |
| Shelf Life: |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.