NSN 5310-00-638-5707

Round Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-638-5707

Thread Pitch Diameters:
+4.9675/+4.9740 inches
Thread Direction:
Right-hand
Drive Point Depth:
0.195 inches
Nut Style:
Round
Nut Diameter:
5.625 inches
Nut Thickness:
0.201 inches
Drive Point Width:
0.500 inches
Drive Point Quantity:
10
Thread Series:
Uns
Thready Qty Per Inch (tpi):
20
Hardness Rating:
Hardness Rating: Between 26.0 rockwell c and 32.0 rockwell c
-
Between 26.0 rockwell c and 32.0 rockwell c
Between 26.0 rockwell c and 32.0 rockwell c Thread Size:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response Shelf Life:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response Shelf Life: N/a
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response Shelf Life: N/a
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response Shelf Life: N/a Unit Of Measure:
Between 26.0 rockwell c and 32.0 rockwell c Thread Size: 5.000 inches Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: