NSN 5310-00-639-3586

Round Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-639-3586

Thread Pitch Diameters:
+0.4487/+0.4513 inches
Thread Direction:
Right-hand
Drive Point Depth:
Between 0.054 inches and 0.064 inches
Nut Style:
Round
Nut Diameter:
Between 0.797 inches and 0.817 inches
Nut Thickness:
0.188 inches
Drive Point Width:
0.125 inches
Drive Point Quantity:
8
Thread Series:
Uns
Thready Qty Per Inch (tpi):
32
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
Between 26.0 rockwell c and 32.0 rockwell c Thread Size:
Thread Size:
Thread Size: 0.469 inches
Thread Size: 0.469 inches Countersink Angle:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response Shelf Life:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response Shelf Life: N/a
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response Shelf Life: N/a
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response Shelf Life: N/a Unit Of Measure:
Thread Size: 0.469 inches Countersink Angle: 88.0 degrees first end and 92.0 degrees first end Material: Steel comp 4140 Material Specification: Ams 6381 assn standard single material response or ams 6382 assn standard single material response Surface Treatment Specification: Ams 2481 assn standard single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: