NSN 5310-00-655-9770Plate Nut Spacer - Page 1 of 2



٧

View Online at https://aerobasegroup.com/nsn/5310-00-655-9770
Mounting Hole Diameter:
Between 0.134 inches and 0.140 inches
Nut Style:
Plate nut spacer
Nut Length:
1.281 inches
Thru-hole Diameter:
Between 0.330 inches and 0.340 inches
Plate Thickness:
0.090 inches
Plate Width:
0.516 inches
Nut Mounting Provision:
Countersunk holes
Mounting Provision Location:
Opposite nut projection side
Mounting Hole Arrangement Style:
2 holes
Distance From Aperture Center To Mounting Hole Center:
Between 0.497 inches and 0.503 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.998 inches and 1.002 inches
Mounting Hole Countersink Angle:
100.0 degrees
Special Features:
Dyed orange
Material:
Aluminum alloy 2014 or aluminum alloy 2024 or aluminum alloy 7075
Material Specification:
Qq-a-250/3, alloy 2014, temper t6 federal specification 1st material response or qq-a-250/5, alloy 2024, temper t3 federal specification 2nd
material response or qq-a-250/5, t42 federal specification 3rd material response or qq-a-250/13, alloy 7075, temper t6 federal specification
4th material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 2 military specification single treatment response
Specification Data:
80205-nas463 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5310-00-655-9770

Plate Nut Spacer - Page 2 of 2



Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.