
NSN 5310-00-734-4497

Plate Self-locking Nut - Page 1 of 2





Thread Class: 3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design Lubrication: Soluble lubricant Mounting Hole Diameter: Between 0.098 inches and 0.103 inches Nut Style: Plate Nut Length: 0.822 inches Nut Height: 0.281 inches **Plate Thickness:** 0.055 inches Plate Width: Between 0.380 inches and 0.414 inches **Nut Mounting Provision:** Countersunk holes **Mounting Provision Location:** Opposite nut projection side **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.276 inches and 0.286 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.217 inches and 0.221 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): 28 Hardness Rating: 49.0 rockwell c **Thread Size:** 0.250 inches **Mounting Hole Countersink Angle:** Between 98.0 degrees and 102.0 degrees

NSN 5310-00-734-4497

Plate Self-locking Nut - Page 2 of 2



Material:

Steel

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0