# NSN 5310-00-762-2915

Plate Self-locking Nut - Page 1 of 2

**Thread Class:** 

View Online at https://aerobasegroup.com/nsn/5310-00-762-2915



### 3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design **Counterbore Diameter:** 0.168 inches nut **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches Nut Style: Plate Nut Length: 0.935 inches Nut Height: 0.250 inches **Plate Thickness:** 0.047 inches Plate Width: Between 0.277 inches and 0.297 inches Nut Counterbore Depth: 0.062 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.310 inches and 0.314 inches **Tempurature Rating:** 800.0 degrees fahrenheit **Thread Series:** Unjc Thready Qty Per Inch (tpi): 32 Hardness Rating: 49.0 rockwell c **Thread Size:** 0.164 inches Material: Iron alloy 660

## NSN 5310-00-762-2915

Plate Self-locking Nut - Page 2 of 2



#### Material Specification:

Ams 5525 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response

Precious Material And Location:

All surfaces silver

#### Precious Material:

Silver

#### Surface Treatment:

Silver

#### Surface Treatment Specification:

Ams 2410 assn standard single treatment response

Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

#### Fiig:

A021a0