NSN 5310-00-762-6174



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-00-762-6174 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.684 inches **Nut Height:** 0.171 inches **Plate Thickness:** 0.047 inches Plate Width: Between 0.195 inches and 0.265 inches **Nut Mounting Provision:** Countersunk holes **Mounting Provision Location:** Opposite nut projection side **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.213 inches and 0.223 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.217 inches and 0.221 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjc

Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.138 inches **Mounting Hole Countersink Angle:** Between 98.0 degrees and 102.0 degrees Material: Iron alloy 660

NSN 5310-00-762-6174

Plate Self-locking Nut - Page 2 of 2



Ams 5735 assn standard single material response or ams 5737 assn standard single material response or ams 5525 assn standard single material response

_		_		
S11	rtaca	Trea	tma	m+.

Passivate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0