## NSN 5310-00-764-2430

Spline Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-764-2430

Thread Class:
3b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque with nonmetallic insert
Pilot Diameter:
Between 0.127 inches and 0.131 inches
Pilot Length:
0.037 mils and 0.043 centimeters
Counterbore Diameter:
0.096 inches nut and 0.101 inches nut
Nut Style:
Spline
Nut Diameter:
Between 0.167 inches and 0.177 inches
Nut Height:
Between 0.102 inches and 0.128 inches
Nut Counterbore Depth:
0.040 inches nut
Tempurature Rating:
350.0 degrees fahrenheit
Thread Series:
Unjc
Thready Qty Per Inch (tpi):
56
Thread Size:
0.086 inches
Material:
Steel comp 1212 nut
Material Specification:
Mil-m-20693 military specification single material response locking insert
Surface Treatment:
Cadmium except insert and chromate except insert
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification all treatment responses except insert
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5310-00-764-2430

Spline Self-locking Nut - Page 2 of 2

Fiig: A021a0 Mil-std (military Standard):

Mil-m-20693 spec.

