
Plate Self-locking Nut - Page 1 of 2





# Thread Class:

3b

**Thread Direction:** 

**Right-hand** 

#### Locking Feature:

Prevailing torque all metal design

#### Lubrication:

Dry film lubricant

#### Mounting Hole Diameter:

Between 0.098 inches and 0.103 inches

#### Nut Style:

Plate

#### Nut Length:

0.651 inches

#### Nut Height:

0.153 inches

# Plate Thickness:

0.140 inches

# Plate Width:

Between 0.275 inches and 0.315 inches

#### **Nut Mounting Provision:**

Straight holes

#### Mounting Hole Arrangement Style:

2 holes

#### Distance From Aperture Center To Mounting Hole Center:

Between 0.198 inches and 0.208 inches

#### Center To Center Distance Between Mounting Holes Along Length:

Between 0.404 inches and 0.408 inches

#### **Tempurature Rating:**

450.0 degrees fahrenheit

#### **Thread Series:**

Unjc

## **Features Provided:**

Floating nut

# Thready Qty Per Inch (tpi):

40

#### Hardness Rating:

49.0 rockwell c

#### Thread Size:

0.112 inches

#### Material:

Iron alloy 660

# NSN 5310-00-771-7360

Plate Self-locking Nut - Page 2 of 2



# Material Specification:

Ams 5732 assn standard single material response or ams 5737 assn standard single material response or ams 5525 assn standard single material response

Surface Treatment:

Passivate

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A021a0