

View Online at <https://aerobasegroup.com/nsn/5310-00-776-7668>

**Thread Pitch Diameters:**

+3.8575/+3.8631 inches

**Thread Direction:**

Right-hand

**Counterbore Diameter:**

4.000 inches nut

**Drive Point Depth:**

0.312 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 5.240 inches and 5.260 inches

**Nut Thickness:**

Between 0.552 inches and 0.572 inches

**Drive Point Width:**

0.250 inches

**Drive Point Quantity:**

6

**Nut Counterbore Depth:**

0.125 inches nut

**Thread Series:**

Uns

**Thready Qty Per Inch (tpi):**

20

**Hardness Rating:**

Between 26.0 rockwell c and 32.0 rockwell c

**Thread Size:**

3.891 inches

**Countersink Angle:**

119.0 degrees second end and 121.0 degrees second end

**Special Features:**

3.830 in. Min 3.836 in. Maximum diameter counterstnk on small end and 4.719 in. Diameter countersink on large end

**Material:**

Steel comp 4140

**Material Specification:**

Qq-s-626 federal specification single material response or sae federal specification single material response

**Surface Treatment:**

Phosphate manganese

**Surface Treatment Specification:**

Mil-p-16232, type m, class 1 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-p-16232 spec.