## NSN 5310-00-778-9160

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-778-9160 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 1.051 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.032 inches Plate Width: Between 0.290 inches and 0.422 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.310 inches and 0.314 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Hardness Rating:** 49.0 rockwell c **Thread Size:** 

0.190 inches Material: Iron alloy 660

## NSN 5310-00-778-9160

Plate Self-locking Nut - Page 2 of 2



wateriai Specification	al Specificati	ecificatior	Sp	ial	later	۷
------------------------	----------------	-------------	----	-----	-------	---

Ams 5525 assn standard single material response	or ams 5735 assn standard single material response $$	or ams 5737 ass	n standard single
material response			

**Surface Treatment:** 

Passivate

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0