## NSN 5310-00-781-7094

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-781-7094 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.351 inches nut **Overall Height:** 0.823 inches **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate **Nut Length:** 1.296 inches **Nut Height:** 0.410 inches **Plate Thickness:** 0.030 inches Plate Width: 0.762 inches **Nut Counterbore Depth:** 0.135 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.998 inches and 1.002 inches **Tempurature Rating:** Between -65.0 degrees fahrenheit and 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 24

**Thread Size:** 

0.312 inches

## NSN 5310-00-781-7094

Plate Self-locking Nut - Page 2 of 2

Mil-std (military Standard):

Mil-r-6825 spec.



Material:
Iron alloy 660 washer
Material Specification:
Mil-r-6825, class 1, grade 60 military specification single material response seal
Surface Treatment:
Passivate washer
Specification Data:
80205-nas1473 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0