## NSN 5310-00-816-2888

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-816-2888

Rectangular  Hole Diameter:  Between 0.120 inches and 0.130 inches  Edge Shape:  Round w/flats  Center Hole Shape:  1 round  Thickness:  Between 0.025 inches and 0.040 inches  Overall Diameter:  Between 0.302 inches and 0.322 inches  Width Across Flats:  Between 0.220 inches and 0.240 inches  Heat Treatment:  Hot rolled  Material:  Steel comp 1015  Material Specification:  Ams 5060 assn standard single material response
Between 0.120 inches and 0.130 inches  Edge Shape: Round w/flats  Center Hole Shape: 1 round  Thickness: Between 0.025 inches and 0.040 inches  Overall Diameter: Between 0.302 inches and 0.322 inches  Width Across Flats: Between 0.220 inches and 0.240 inches  Heat Treatment: Hot rolled  Material: Steel comp 1015  Material Specification:
Edge Shape: Round w/flats Center Hole Shape: 1 round Thickness: Between 0.025 inches and 0.040 inches Overall Diameter: Between 0.302 inches and 0.322 inches Width Across Flats: Between 0.220 inches and 0.240 inches Heat Treatment: Hot rolled Material: Steel comp 1015 Material Specification:
Round w/flats  Center Hole Shape: 1 round  Thickness: Between 0.025 inches and 0.040 inches  Overall Diameter: Between 0.302 inches and 0.322 inches  Width Across Flats: Between 0.220 inches and 0.240 inches  Heat Treatment: Hot rolled  Material: Steel comp 1015  Material Specification:
Center Hole Shape:  1 round  Thickness:  Between 0.025 inches and 0.040 inches  Overall Diameter:  Between 0.302 inches and 0.322 inches  Width Across Flats:  Between 0.220 inches and 0.240 inches  Heat Treatment:  Hot rolled  Material:  Steel comp 1015  Material Specification:
1 round Thickness: Between 0.025 inches and 0.040 inches Overall Diameter: Between 0.302 inches and 0.322 inches Width Across Flats: Between 0.220 inches and 0.240 inches Heat Treatment: Hot rolled Material: Steel comp 1015 Material Specification:
Thickness: Between 0.025 inches and 0.040 inches  Overall Diameter: Between 0.302 inches and 0.322 inches  Width Across Flats: Between 0.220 inches and 0.240 inches  Heat Treatment: Hot rolled  Material: Steel comp 1015  Material Specification:
Between 0.025 inches and 0.040 inches  Overall Diameter:  Between 0.302 inches and 0.322 inches  Width Across Flats:  Between 0.220 inches and 0.240 inches  Heat Treatment:  Hot rolled  Material:  Steel comp 1015  Material Specification:
Overall Diameter:  Between 0.302 inches and 0.322 inches  Width Across Flats:  Between 0.220 inches and 0.240 inches  Heat Treatment:  Hot rolled  Material:  Steel comp 1015  Material Specification:
Between 0.302 inches and 0.322 inches  Width Across Flats:  Between 0.220 inches and 0.240 inches  Heat Treatment:  Hot rolled  Material:  Steel comp 1015  Material Specification:
Width Across Flats: Between 0.220 inches and 0.240 inches Heat Treatment: Hot rolled Material: Steel comp 1015 Material Specification:
Between 0.220 inches and 0.240 inches  Heat Treatment: Hot rolled  Material: Steel comp 1015  Material Specification:
Heat Treatment: Hot rolled  Material: Steel comp 1015  Material Specification:
Hot rolled  Material: Steel comp 1015  Material Specification:
Material: Steel comp 1015 Material Specification:
Steel comp 1015  Material Specification:
Material Specification:
Ams 5060 assn standard single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type 2, cl 2 federal specification single treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A022b0