## NSN 5310-00-819-7207

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-819-7207 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Mounting Hole Diameter:** Between 0.064 inches and 0.069 inches **Nut Style:** Plate **Nut Length:** Between 0.954 inches and 0.984 inches **Nut Height:** Between 0.340 inches and 0.355 inches **Plate Thickness:** Between 0.029 inches and 0.039 inches Plate Width: Between 0.375 inches and 0.406 inches **Nut Mounting Provision:** Countersunk holes **Mounting Provision Location:** Opposite nut projection side **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** 0.344 inches **Center To Center Distance Between Mounting Holes Along Length:** 0.688 inches **Thread Series:** Unf Thready Qty Per Inch (tpi): **Thread Size:** 0.190 inches **Mounting Hole Countersink Angle:** 100.0 degrees Material: Iron alloy 660 **Material Specification:** Ams 5735 assn standard 1st material response or ams 5510 assn standard 2nd material response **Precious Material And Location:** 

silver

## NSN 5310-00-819-7207

Plate Self-locking Nut - Page 2 of 2



Precious Material:
Silver
Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A021a0