

View Online at <https://aerobasegroup.com/nsn/5310-00-866-0855>

Thread Class:

3b

Thread Direction:

Right-hand

Drive Point Depth:

Between 0.110 inches and 0.113 inches

Nut Style:

Round

Nut Diameter:

Between 1.990 inches and 2.010 inches

Nut Thickness:

Between 0.307 inches and 0.317 inches

Drive Point Width:

Between 0.180 inches and 0.200 inches

Drive Point Quantity:

4

Thread Series:

Unef

Thready Qty Per Inch (tpi):

18

Hardness Rating:

Between 28.0 rockwell c and 34.0 rockwell c

Thread Size:

1.437 inches

Countersink Angle:

88.0 degrees both ends and 92.0 degrees both ends

Bearing Surface Finish:

16.0 microinches

Special Features:

Minor diameter 1.3774 in. In, 1.3855 in. Max; countersink diameter 1.430 in. In, 1.450 in. Max

Material:

Steel comp e4340

Material Specification:

Mil-s-5000 military specification single material response or ems 627, fscm 70210 mfr ref single material response

Test Data Document:

96906-mil-std-1949 standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0

Mil-std (military Standard):

Mil-s-5000 spec.