

View Online at <https://aerobasegroup.com/nsn/5310-00-894-0227>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Welding Projection Quantity:**

2

**Mounting Hole Diameter:**

Between 0.066 inches and 0.069 inches

**Nut Style:**

Plate

**Nut Length:**

Between 0.440 inches and 0.470 inches

**Distance From Base To Center Of Aperture:**

Between 0.141 inches and 0.171 inches

**Nut Height:**

Between 0.132 inches and 0.162 inches

**Plate Thickness:**

Between 0.010 inches and 0.040 inches

**Plate Width:**

Between 0.251 inches and 0.281 inches

**Nut Mounting Provision:**

Straight holes

**Mounting Provision Location:**

Opposite nut projection side

**Mounting Hole Arrangement Style:**

2 holes

**Distance From Mounting Hole Center To Base:**

Between 0.215 inches and 0.245 inches

**Center To Center Distance Between Mounting Holes Along Length:**

Between 0.138 inches and 0.142 inches

**Temperature Rating:**

900.0 degrees fahrenheit

**Thread Series:**

Unc

**Features Provided:**

Floating nut

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Material:**

Stainless steel

**Precious Material:**

Silver

**Surface Treatment:**

Silver nut

**Surface Treatment Specification:**

Ams 2410 assn standard single treatment response nut

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A021a0