
# NSN 5310-00-916-9478

Plate Self-locking Nut - Page 1 of 2





**Thread Class:** 3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches nut Lubrication: Soluble lubricant **Overall Height:** Between 0.508 inches and 0.538 inches **Mounting Hole Diameter:** 0.098 mils and 0.103 centimeters Nut Style: Plate Nut Length: 0.910 inches Nut Height: 0.220 inches **Plate Thickness:** 0.025 inches Plate Width: 0.416 inches Nut Counterbore Depth: 0.063 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.686 inches and 0.690 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unf **Features Provided:** Floating nut Thready Qty Per Inch (tpi):

32

# NSN 5310-00-916-9478

Plate Self-locking Nut - Page 2 of 2



#### **Thread Size:**

0.190 inches

### Material:

Steel shell

## Material Specification:

Fed standard 66 federal standard single material response nut

### Surface Treatment:

Cadmium

## Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A021a0