

View Online at <https://aerobasegroup.com/nsn/5310-00-919-0599>

Thread Class:

3b

Thread Direction:

Right-hand

Counterbore Diameter:

1.330 inches second end and 1.340 inches second end

Drive Point Depth:

0.125 inches

Nut Style:

Round

Nut Diameter:

Between 1.500 inches and 1.520 inches

Nut Thickness:

Between 0.330 inches and 0.335 inches

Drive Point Width:

Between 0.120 inches and 0.130 inches

Drive Point Quantity:

15

Nut Counterbore Depth:

0.135 inches second end

Thread Series:

Unef

Thready Qty Per Inch (tpi):

20

Hardness Rating:

Between 32.0 rockwell c and 36.0 rockwell c

Thread Size:

0.9375 inches

Countersink Angle:

118.0 degrees both ends and 122.0 degrees both ends

Bearing Surface Finish:

32.0 microinches

Special Features:

Inside groove, 1.391 in. Min, 1.399 in. Maximum id, cbore end

Material:

Steel comp 4140

Material Specification:

Ams 6381 assn standard single material response or ams 6382 assn standard single material response

Surface Treatment:

Oxide

Surface Treatment Specification:

Ams 2485 assn standard single treatment response

Test Data Document:

99207--3-te2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0