

View Online at <https://aerobasegroup.com/nsn/5310-00-926-5832>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque with nonmetallic insert

Nut Style:

Hexagon

Nut Height:

0.282 inches

End Application:

Trident hull structure; mk 28, 5-inch 38 caliber twin gun mount; bridge armor vehicle (avlb) - model m60a1; helicopter observation (ahip), oh-58d; fms - aircraft, orion p-3; submarine auxillary and miscellaneous systems; los angeles class ssn (688); armored vehicle launch bridge (m60a1 & m48a5); helicopter, kiowa oh-58 a&c

Width Across Flats:

Between 0.553 inches and 0.564 inches

Tempurature Rating:

250.0 degrees fahrenheit

Thread Series:

Unjf

Thready Qty Per Inch (tpi):

24

Thread Size:

0.375 inches

Countersink Angle:

88.0 degrees nut

Bearing Surface Type:

Chamfered or washer faced

Bearing Surface Finish:

125.0 microinches

Material:

Plastic polyamide locking insert

Surface Treatment:

Cadmium except insert

Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response except insert

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0