

View Online at <https://aerobasegroup.com/nsn/5310-00-928-6327>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Flange Thickness:**

0.134 inches

**Drive Point Depth:**

0.093 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 1.896 inches and 1.916 inches

**Nut Thickness:**

Between 0.271 inches and 0.291 inches

**Drive Point Width:**

0.178 mils and 0.198 centimeters

**Undercut Thickness:**

0.062 inches

**Drive Point Quantity:**

8

**Thread Series:**

Unef

**Thready Qty Per Inch (tpi):**

A18

**Hardness Rating:**

Between 26.0 rockwell c and 33.0 rockwell c

**Thread Size:**

1.375 inches

**Special Features:**

W/corrosion preventive compound mil-c-16173 grade 3

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-6758, cond f4 military specification single material response

**Surface Treatment:**

Oxide

**Surface Treatment Specification:**

Mil-c-13924, cl2 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A021a0

**Mil-std (military Standard):**

Mil-s-6758 spec.