

View Online at <https://aerobasegroup.com/nsn/5310-00-928-6328>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Flange Thickness:**

0.177 inches

**Drive Point Depth:**

0.091 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 3.334 inches and 3.354 inches

**Nut Thickness:**

Between 0.334 inches and 0.354 inches

**Drive Point Width:**

0.240 mils and 0.260 centimeters

**Undercut Thickness:**

0.084 inches

**Drive Point Quantity:**

8

**Thread Series:**

Uns

**Thready Qty Per Inch (tpi):**

18

**Hardness Rating:**

Between 26.0 rockwell c and 33.0 rockwell c

**Thread Size:**

2.750 inches

**Special Features:**

W/corrosion preventive compound mil-c-16173 grade 3

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-6758, cond f4 military specification single material response

**Surface Treatment:**

Oxide

**Surface Treatment Specification:**

Mil-c-13924, cl2 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-s-6758 spec.