NSN 5310-00-931-5276

Material Specification:

Blind Rivet Self-locking Nut - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5310-00-931-5276



Thread Class: 3b **Thread Direction:** Right-hand **Head Style:** Serrated with pilot **Head Diameter:** 0.353 inches **Head Height:** Between 0.020 inches and 0.030 inches **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.255 inches nut and 0.258 inches nut Lubrication: Soluble lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.325 inches and 0.327 inches **Nut Length:** 0.927 inches Err Default: +0.040 to 0.080 inches **Nut Counterbore Depth:** 0.013 inches nut and 0.014 inches nut **Head Pilot Diameter:** Between 0.325 inches and 0.327 inches **Shank End Type:** Closed **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unf Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches Material: Steel comp 304 or steel comp 305

Qq-s-763, cl 304, cond a federal specification 1st material response or qq-s-763, cl 305, cond a federal specification 2nd material response

NSN 5310-00-931-5276

Fiig: A021a0

Blind Rivet Self-locking Nut - Page 2 of 2



Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No