
Plate Self-locking Nut - Page 1 of 2

Thread Class:





Thread Class.
3b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque all metal design
Counterbore Diameter:
0.168 inches nut
Lubrication:
Dry film lubricant
Mounting Hole Diameter:
Between 0.098 inches and 0.103 inches
Nut Style:
Plate
Nut Length:
0.859 inches
Distance From Base To Center Of Aperture:
0.281 inches
Nut Height:
0.250 inches
Plate Thickness:
0.032 inches
Plate Width:
0.453 inches
Nut Counterbore Depth:
0.062 inches nut
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Mounting Hole Center To Base:
Between 0.464 inches and 0.474 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.248 inches and 0.252 inches
Tempurature Rating:
450.0 degrees fahrenheit
Thread Series:
Unjc
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
32

NSN 5310-00-949-6273

Plate Self-locking Nut - Page 2 of 2



Thread Size:

0.164 inches

Material:

Steel shell

Surface Treatment:

Passivate channel and paint lusterless channel

Surface Treatment Specification:

Qq-p-35 federal specification 1st treatment response channel and mil-p-85582, type 1, cl 2 military specification 2nd treatment response channel

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-p-85582 spec.