## NSN 5310-00-993-4150

Sleeve Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-993-4150

| Thread Pitch Diameters:  |
|--|
| +0.2340/+0.2380 inches   |
| Thread Direction:  |
| Right-hand   |
| Flange Thickness:  |
| 0.065 inches   |
| Nut Style:   |
| Sleeve   |
| Nut Diameter:  |
| Between 0.304 inches and 0.309 inches  |
| Nut Length:  |
| 0.072 inches   |
| Flange Width Across Flats:   |
| Between 0.422 inches and 0.454 inches  |
| Cross-sectional Shape:   |
| Round nut  |
| Thread Series:   |
| Uns  |
| Thready Qty Per Inch (tpi):  |
| 40   |
|  |
| Thread Size:   |
| Thread Size: 0.250 inches  |
|  |
| 0.250 inches   |
| 0.250 inches  Material:  |
| 0.250 inches  Material: Steel comp 303   |
| 0.250 inches  Material: Steel comp 303  Material Specification:  |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response  |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response  Surface Treatment:  |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response  Surface Treatment: Passivate  |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification:  |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response   |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life:   |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a   |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a   |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a Unit Of Measure:                            |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization:          |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No       |
| 0.250 inches  Material: Steel comp 303  Material Specification: Qq-s-764, cond a federal specification single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-f-14072, e300 military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: |