NSN 5310-01-015-1695

View Online at https://aerobasegroup.com/nsn/5310-01-015-1695

Double Hexagon Extended Washer Self-locking Nut - Page 1 of 1



| Thread Class: |
|--|
| 3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Washer Outside Diameter: |
| Between 1.030 inches and 1.050 inches |
| Lubrication: |
| Dry film lubricant |
| Overall Height: |
| Between 0.630 inches and 0.650 inches |
| Nut Style: |
| Double hexagon |
| Washer Thickness: |
| Between 0.084 inches and 0.104 inches |
| Width Across Flats: |
| Between 0.772 inches and 0.783 inches |
| Thread Series: |
| Unjf |
| Hardness Rating: |
| Between 34.0 rockwell c and 43.0 rockwell c |
| Thread Size: |
| 0.625 inches |
| Countersink Angle: |
| 90.0 degrees nut |
| Material: |
| Steel comp 8740 |
| Material Specification: |
| Ams 6322 assn standard single material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Ams 2400 assn standard single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A021a0 |