

View Online at <https://aerobasegroup.com/nsn/5310-01-015-8792>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Pilot Diameter:

Between 0.158 inches and 0.162 inches

Pilot Length:

Between 0.057 inches and 0.063 inches

Lubrication:

Dry film lubricant

Nut Style:

Clinch

Nut Diameter:

Between 0.193 inches and 0.213 inches

Nut Height:

Between 0.159 inches and 0.185 inches

Tempurature Rating:

450.0 degrees fahrenheit

Thread Series:

Unc

Thready Qty Per Inch (tpi):

40

Thread Size:

0.112 inches

Material:

Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 303f or steel comp 303s or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 308 or steel comp 309 or steel comp 309s or steel comp 310 or steel comp 310s or steel comp 314 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 323 or steel comp 324 or steel comp 347 or steel comp 348 or steel comp 385

Material Specification:

Fed standard 66 federal standard all material responses

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0