## NSN 5310-01-019-2435



Clinch Self-locking Nut - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5310-01-019-2435 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Pilot Diameter:** Between 0.265 inches and 0.270 inches Pilot Length: 0.130 inches Lubrication: Dry film lubricant **Nut Height:** 0.370 inches Width Across Flats: 0.390 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches Material: Steel comp 1050 or steel comp 314 or steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 1086 or steel comp 1095 or iron alloy 660 **Material Specification:** Astm a682, grade 1050 to 1095 assn standard 1st material response or nas 5732 assn standard 2nd material response or mil-s-23915, comp 304 military specification 3rd material response **Surface Treatment Specification:** Qq-p-416 type 2 cl 3 federal specification 1st treatment response or qq-p-35 federal specification 2nd treatment response Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Mil-s-23915 spec.

Mil-std (military Standard):

**Fiig:** A021a0