## NSN 5310-01-023-6628

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-023-6628 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** Between 3.040 inches and 3.180 inches **Distance From Base To Center Of Aperture:** Between 0.350 inches and 0.390 inches **Nut Height:** Between 2.250 inches and 2.310 inches **Plate Thickness:** 0.120 inches Plate Width: Between 1.840 inches and 1.950 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 3 holes **Distance From Mounting Hole Center To Base:** Between 0.360 inches and 0.400 inches **Center To Center Distance Between Mounting Holes Along Width:** Between 1.120 inches and 1.150 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.730 inches and 0.770 inches **Thread Series:** Unf Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches Material: Aluminum alloy 2014 **Material Specification:** 

Qq-a-367 comp 2014 t6 federal specification single material response

**Surface Treatment:**Anodize or chromate

## NSN 5310-01-023-6628

Plate Self-locking Nut - Page 2 of 2



Suriace	<b>Treatment</b>	Suec	11116	ILIOI1.

Mil-a-8625 type 1 military spe	ecification 1st treatment response	or mil-c-5541 military	specification 2nd treatment response
--------------------------------	------------------------------------	------------------------	--------------------------------------

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.