## NSN 5310-01-025-4395

Plate Nut Spacer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-025-4395
Mounting Hole Diameter:
Between 0.127 inches and 0.133 inches
Nut Style:
Plate nut spacer
Nut Length:
Between 1.667 inches and 1.697 inches
Thru-hole Diameter:
Between 0.453 inches and 0.463 inches
Plate Thickness:
Between 0.060 inches and 0.068 inches
Plate Width:
Between 0.705 inches and 0.735 inches
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Aperture Center To Mounting Hole Center:
Between 0.697 inches and 0.703 inches
Center To Center Distance Between Mounting Holes Along Length:
Center To Center Distance Between Mounting Holes Along Length: Between 1.394 inches and 1.406 inches
Between 1.394 inches and 1.406 inches
Between 1.394 inches and 1.406 inches  Material:
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024  Material Specification:
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024  Material Specification:  Qq-a-250/4 temper t8 military specification single material response
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024  Material Specification:  Qq-a-250/4 temper t8 military specification single material response  Surface Treatment:
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024  Material Specification:  Qq-a-250/4 temper t8 military specification single material response  Surface Treatment:  Anodize
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response Surface Treatment: Anodize Surface Treatment Specification:
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625 military specification single treatment response
Between 1.394 inches and 1.406 inches  Material:  Aluminum alloy 2024  Material Specification:  Qq-a-250/4 temper t8 military specification single material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Mil-a-8625 military specification single treatment response  Shelf Life:
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Shelf Life: N/a
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Shelf Life: N/a
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Shelf Life: N/a Unit Of Measure:
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization:
Between 1.394 inches and 1.406 inches  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/4 temper t8 military specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625 military specification single treatment response  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No

spec.