

View Online at <https://aerobasegroup.com/nsn/5310-01-030-2671>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Pilot Diameter:

Between 0.212 inches and 0.217 inches

Pilot Length:

0.192 inches

Lubrication:

Dry film lubricant

Nut Height:

0.381 inches

Width Across Flats:

0.295 inches

Thread Series:

Unc

Features Provided:

Floating nut

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Material:

Steel comp 1050 or steel comp 1055 or steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 1095 or iron alloy 660

Material Specification:

Astm a682, grade 1050 to 1095 assn standard 1st material response or nas 5732 assn standard 2nd material response or mil-s-23915 comp 304 military specification 3rd material response

Surface Treatment:

Cadmium or passivate

Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification 1st treatment response or qq-p-35 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0

Mil-std (military Standard):

Mil-s-23915 spec.