

View Online at <https://aerobasegroup.com/nsn/5310-01-030-4034>

Thread Pitch Diameters:

+17.026/+17.187 millimeters

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Counterbore Diameter:

18.00 millimeters nut and 19.05 millimeters nut

Nut Style:

Non-floating self-locking barrel

Nut Diameter:

Between 30.71 millimeters and 30.96 millimeters

Nut Length:

Between 30.710 millimeters and 31.210 millimeters

Barrel Height:

18.770 millimeters

Nut Height:

24.940 millimeters

Nut Counterbore Depth:

4.73 millimeters nut and 5.33 millimeters nut

Thread Series:

Iso m

Thread Size:

18.0 millimeters

Thread Pitch In Millimeters:

1.50

Material:

Steel comp 4340 or steel comp 8740

Material Specification:

Mil-s-5000 military specification 1st material response or mil-s-6049 military specification 2nd material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0

Mil-std (military Standard):

Mil-s-5000 spec.