
Plate Self-locking Nut - Page 1 of 2





Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Counterbore Diameter:

0.254 inches nut

Lubrication:

Dry film lubricant

Mounting Hole Diameter:

Between 0.098 inches and 0.103 inches

Nut Style:

Plate

Nut Length:

0.807 inches

Nut Height:

0.349 inches

Plate Thickness:

Between 0.026 inches and 0.036 inches

Plate Width:

0.500 inches

Nut Counterbore Depth:

0.125 inches nut

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.276 inches and 0.286 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.560 inches and 0.564 inches

Tempurature Rating:

450.0 degrees fahrenheit

Thread Series:

Unjf

Features Provided:

Floating nut

Thready Qty Per Inch (tpi):

28

Thread Size:

0.250 inches

NSN 5310-01-040-4729

Plate Self-locking Nut - Page 2 of 2



Special Features:

Steel ams 6322 or steel ams 6370 optional for the nut

Material:

Steel comp 1030 or steel comp 1033 or steel comp 1034 or steel comp 1035 or steel comp 1536

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416 cl 2 federal specification single treatment response

Specification Data:

81205-bacn10jq manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0