NSN 5310-01-042-2381

Plate Nut Spacer - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5310-01-042-2381 |
|--|
| Mounting Hole Diameter: |
| Between 0.102 inches and 0.108 inches |
| Nut Style: |
| Plate nut spacer |
| Nut Length: |
| Between 0.701 inches and 0.716 inches |
| Thru-hole Diameter: |
| Between 0.180 inches and 0.190 inches |
| Plate Thickness: |
| Between 0.057 inches and 0.069 inches |
| Plate Width: |
| Between 0.282 inches and 0.297 inches |
| Nut Mounting Provision: |
| Straight holes |
| Mounting Hole Arrangement Style: |
| 2 holes |
| Distance From Aperture Center To Mounting Hole Center: |
| Between 0.231 inches and 0.237 inches |
| Center To Center Distance Between Mounting Holes Along Length: |
| Between 0.217 inches and 0.221 inches |
| Product Name: |
| Navy special project |
| Special Features: |
| Gdyed orange |
| Material: |
| Aluminum alloy 5052 |
| Material Specification: |
| Qq-a-250/8 h34 federal specification single material response |
| Surface Treatment: |
| Anodize |
| Surface Treatment Specification: |
| Mil-a-8625, ty2 military specification single treatment response |
| Specification Data: |
| 80205-nas1195 professional/industrial association standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig:

A021a0

NSN 5310-01-042-2381

Plate Nut Spacer - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.