NSN 5310-01-048-9909



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-048-9909 **Thread Class:** 2b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with metallic insert **Mounting Hole Diameter:** Between 0.098 inches and 0.108 inches **Nut Style:** Plate **Nut Length:** Between 3.170 inches and 3.230 inches **Nut Height:** Between 0.970 inches and 1.030 inches **Plate Thickness:** Between 0.100 inches and 0.120 inches Plate Width: Between 0.970 inches and 1.030 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 1.340 inches and 1.360 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 2.690 inches and 2.710 inches **Thread Series:** Unf

Thready Qty Per Inch (tpi):

32

Thread Size:

0.190 inches

Special Features:

0.063 in. Min and 0.070 in. Maximum inspection hole through nut

Material:

Steel locking insert

Surface Treatment:

Cadmium locking insert and chromate locking insert

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response locking insert

Specification Data:

81205-bacn10nx manufacturers standard

NSN 5310-01-048-9909

Plate Self-locking Nut - Page 2 of 2



| She | lf I | Life | е: |
|-----|------|------|----|
| | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0