

View Online at <https://aerobasegroup.com/nsn/5310-01-054-2558>

Hole Diameter:

Between 2.400 inches and 2.425 inches

Outside Diameter:

Between 2.844 inches and 2.874 inches

Internal Prebent Key Length:

Between 0.125 inches and 0.156 inches

External Prebent Key Width:

Between 0.204 inches and 0.234 inches

Internal Prebent Key Width:

Between 0.250 inches and 0.290 inches

Overall Distance Including Keys:

3.344 inches

External Key Quantity:

17

Material Thickness:

Between 0.058 inches and 0.068 inches

Hardness Rating:

Between 50.0 rockwell c and 81.0 rockwell c

Material:

Steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1026 or steel comp 1527 or steel comp 1029 or steel comp 1030 or steel comp 1031 or steel comp 1033 or steel comp 1034 or steel comp 1035 or steel comp 1023 or steel comp 1524 or steel comp 1025

Surface Treatment:

Cadmium and chromate or zinc and chromate

Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification 1st treatment response or astm b633, type 2, class 3 assn standard 2nd treatment response

Style Designator:

Key

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A022b0