## NSN 5310-01-059-7520

Assembled Washer Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-059-7520 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Washer Outside Diameter:** 0.380 inches **Counterbore Diameter:** 0.211 inches nut and 0.221 inches nut Lubrication: Dry film lubricant **Overall Height:** Between 0.223 inches and 0.243 inches **Nut Style:** Flat with turned up edge Width Across Flats: Between 0.213 inches and 0.221 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): Hardness Rating: Between 36.0 rockwell c and 40.0 rockwell c **Thread Size:** 0.190 inches **Bearing Surface Finish:** 125.0 microinches **Special Features:** Washer rockwell c scale 40 min and rockwell c scale 45 max Material: Steel comp 4340 nut or steel comp 8740 nut **Surface Treatment:** Cadmium nut and chromate nut **Surface Treatment Specification:** Qq-p-416 type 2 class 2 federal specification single treatment response nut **Specification Data:** 

80205-nas1726 professional/industrial association standard

Shelf Life:

N/a

## NSN 5310-01-059-7520

Assembled Washer Self-locking Nut - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A021a0