## NSN 5310-01-082-5350

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-082-5350 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with nonmetallic insert **Counterbore Diameter:** 0.318 inches nut and 0.333 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate **Nut Length:** 1.000 inches **Distance From Base To Center Of Aperture:** Between 0.329 inches and 0.359 inches **Nut Height:** 0.437 inches **Plate Thickness:** 0.075 inches Plate Width: 0.750 inches **Nut Counterbore Depth:** 0.055 inches nut and 0.085 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Mounting Hole Center To Base:** Between 0.563 inches and 0.593 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.248 inches and 0.252 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** 

24

Floating nut

Thready Qty Per Inch (tpi):

## NSN 5310-01-082-5350

Plate Self-locking Nut - Page 2 of 2



Thread Size:
0.312 inches
Material:
Steel nut
Surface Treatment:
Cadmium nut and chromate nut
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 assn standard single treatment response nut
Specification Data:
80205-nas1033 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0
Mil-std (military Standard):
Mil-a-8625 spec.